

# ESIS Video recordings

ISBN: 978-88-31482-05-9



## 1st Virtual European Conference on Fracture



# **1<sup>st</sup> Virtual European Conference on Fracture – VECF1**

Due to the COVID-19 pandemic, in 2020 the ECF23 (Funchal, Madeira, Portugal) was postponed to 2022. The 1<sup>st</sup> Virtual European Conference on Fracture – VECF1 was held online (June 29 – July 1, 2020).

## **Organizing Committee**

Francesco Iacoviello	(Università di Cassino e del Lazio Meridionale, Italy)
Aleksandar Sedmak	(University of Belgrade, Serbia)
Liviu Marsavina	(University Politehnica Timisoara, Romania)
Bamber Blackman	(Imperial College London, UK)
Giuseppe Andrea Ferro	(Politecnico di Torino, Italy)
Valery Shlyannikov	(Kazan Scientific Centre, Russian Academy of Science, Russia)
Per Ståhle	(Lund Institute of Technology, Sweden)
Zhiliang Zhang	(Norwegian University of Science and Technology (NTNU), Norway)
Pedro M. G. P. Moreira	(INEGI - Institute of Science and Innovation in Mechanical and Industrial Engineering, Portugal)
Željko Božić	(University of Zagreb, Croatia)
Leslie Banks-Sills	(Tel Aviv University, Israel)

## VIDEO-PRESENTATIONS

Presentation title	Authors	DOI
Invited Lecture: A new paradigm to evaluate the fracture energy of brittle crystals	M.S. Mualim, A. Gleizer, D. Sherman	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.1">https://doi.org/10.53254/ESISTUBE.VECF1.1</a>
Application of the theory of the critical distance based methodology for the analysis of ...	P. Gonzalez, S. Cicero, B. Arroyo, M. Peron, J.A. Alvarez, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.2">https://doi.org/10.53254/ESISTUBE.VECF1.2</a>
On the use of the combined FMC-ASED criterion for fracture prediction of notched specimens ...	S. Cicero, A.R. Torabi, H.R. Majidi, F.J. Gomez	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.3">https://doi.org/10.53254/ESISTUBE.VECF1.3</a>
A new specimen for I/II mixed mode fracture of brittle and quasi-brittle materials	Y. Li, M. Pavier, H. Coules	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.4">https://doi.org/10.53254/ESISTUBE.VECF1.4</a>
Determination of the stress intensity factors KI, KII, KIII and Keqv induced at crack tip of CT ...	R.F. Martins, L. Ferreira	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.5">https://doi.org/10.53254/ESISTUBE.VECF1.5</a>
Fracture mechanics testing of irradiated RPV steels by means of sub-sized specimens ...	S. Cicero, M. Lambrecht, H. Swan, P. Arffman, E. Altstadt, T. Petit, F. Obermeier, B. Arroyo, J.A. Alvarez, R. Lacalle	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.6">https://doi.org/10.53254/ESISTUBE.VECF1.6</a>
Graphene oxide does not seem to improve the fracture properties of injection molded P6	S. Cicero, J.L. Parra, B. Arroyo, I. Procopio	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.7">https://doi.org/10.53254/ESISTUBE.VECF1.7</a>
Crack arrest simulation in steel in account of competing ductile and cleavage fracture	V.Y. Filin, A.V. Ilyan, A.V. Mizetsky	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.8">https://doi.org/10.53254/ESISTUBE.VECF1.8</a>
Failure causes of a bridge tie-down cables after 30 years of service	M. Iordachescu, A. Valiente, M. De Abreu, A. Aznar	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.9">https://doi.org/10.53254/ESISTUBE.VECF1.9</a>
Deformation and fracture of Titanium alloy during penetration of high-speed impactor to the target	S.A. Astroshenko, A.Y. Grigor'ev, G.G. Savenkov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.10">https://doi.org/10.53254/ESISTUBE.VECF1.10</a>
A way forward for industry to determine valid cyclic-fatigue relationship for polymer-matrix ...	A.J. Kinloch, R. Jones	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.11">https://doi.org/10.53254/ESISTUBE.VECF1.11</a>
Statistical evaluation of the critical distance in the finite life fatigue regime	M. Benedetti, C. Santus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.12">https://doi.org/10.53254/ESISTUBE.VECF1.12</a>

Presentation title	Authors	DOI
Computing the growth of small cracks in Additively Manufactured (AM) Ti-6Al-4V	R. Jones, R. Molaei, A. Fatemi, N. Phan, D. Peng	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.13">https://doi.org/10.53254/ESISTUBE.VECF1.13</a>
A means for industry to determine the economic life of bonded joints under representative ...	R. Jones, A.J. Kinloch, J.G. Michopoulos, D. Peng	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.14">https://doi.org/10.53254/ESISTUBE.VECF1.14</a>
Propagation of uncertainty in fatigue crack growth for probabilistic life estimation	C. Mallor, S. Calvo, J.L. Núñez, R. Rodriguez, A. Landaberea	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.15">https://doi.org/10.53254/ESISTUBE.VECF1.15</a>
Adhesively bonded joint brittle fracture assessment via average strain energy density criterion	P. Ferro, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.16">https://doi.org/10.53254/ESISTUBE.VECF1.16</a>
Application of the Theory of Critical Distances to quasi-brittle fracture with ...	S.V. Suknev	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.17">https://doi.org/10.53254/ESISTUBE.VECF1.17</a>
Fatigue behavior of cold roll-formed rail profiles for rack structures	C.D.S. Souto, V.M.G. Gomes, M. Figueiredo, J.A.F.O. Correia, G. Lesiuk, A.A. Fernandes, A.M.P. De Jesus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.18">https://doi.org/10.53254/ESISTUBE.VECF1.18</a>
Modal and strain experimental analysis to an improved axial-axial cruciform specimen for ...	P.R. da Costa, D. Montalvão, M. Freitas, L. Reis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.19">https://doi.org/10.53254/ESISTUBE.VECF1.19</a>
Structural integrity of deepwater composite pipes under combined thermal and mechanical loading	J.C. Hastie, I.A. Guz, M. Kashtalyan	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.20">https://doi.org/10.53254/ESISTUBE.VECF1.20</a>
Comprehensive Studies on Strength of 3D-printed Aluminum Micro Lattice Structures	F.A. Akçay, D. Wu, Y. Bai	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.21">https://doi.org/10.53254/ESISTUBE.VECF1.21</a>
Fracture toughness of nanoscale samples evaluated by the Theory of Critical Distances	P. Gallo, Y. Yan	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.22">https://doi.org/10.53254/ESISTUBE.VECF1.22</a>
Calculation of fatigue limits in notches with a micro-mechanical model in a simple way	V. Chaves	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.23">https://doi.org/10.53254/ESISTUBE.VECF1.23</a>
Invited Lecture: Fracture in materials and structures under fatigue loading: thirty ...	A. Carpinteri	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.24">https://doi.org/10.53254/ESISTUBE.VECF1.24</a>
Perspectives on Delamination Failure	L. Banks-Sills	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.25">https://doi.org/10.53254/ESISTUBE.VECF1.25</a>
Bonded structures improvement by the dual adhesive technique	C.L. Ferreira, R.D.S.G. Campilho, R.D.F. Moreira	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.26">https://doi.org/10.53254/ESISTUBE.VECF1.26</a>

Presentation title	Authors	DOI
Toughening up composites: Damage mechanisms and fracture	C. Soutis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.27">https://doi.org/10.53254/ESISTUBE.VECF1.27</a>
Numerical modelling of cracking in gravity dam under static and seismic loadings with multiple ...	T. Saksala, J. Mäkinen	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.28">https://doi.org/10.53254/ESISTUBE.VECF1.28</a>
Peridynamic shell membrane formulation	E. Oterkus, E. Madenci, S. Oterkus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.29">https://doi.org/10.53254/ESISTUBE.VECF1.29</a>
Modeling of Elastic Properties for Unidirectional Composite Materials using Ansys Material Designer	S.B. Rayhan, M. Rahman	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.30">https://doi.org/10.53254/ESISTUBE.VECF1.30</a>
Effect of Micromechanical Properties on the Buckling Behavior of a Woven Composite Plate	S.B. Rayhan, M. Rahman	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.31">https://doi.org/10.53254/ESISTUBE.VECF1.31</a>
The dynamical stress concentration near a spherical crack in a twice-truncated elastic cone	K. Mysov. N. Vaysfeld	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.32">https://doi.org/10.53254/ESISTUBE.VECF1.32</a>
Mechanical behavior of Nd:YAG laser welded aluminum alloys	G. Costanza, M.E. Tata	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.33">https://doi.org/10.53254/ESISTUBE.VECF1.33</a>
Mixed-mode crack propagation in a semi-circular disc under bending made of ...	L. Malíková, P. Miarka, H. Šimonová	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.34">https://doi.org/10.53254/ESISTUBE.VECF1.34</a>
Predicting crack propagation in insect wings using the Theory of Critical Distances	J. Schmidt, D. Taylor	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.35">https://doi.org/10.53254/ESISTUBE.VECF1.35</a>
Damage tolerance evaluation of a unit cell plane based on electron beam powder bed fusion ...	D. Kotzem, H. Ohlmeyer, F. Walther	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.36">https://doi.org/10.53254/ESISTUBE.VECF1.36</a>
Investigation of fatigue damage accumulation by measurements of deformation response ...	Y. Matvienko, V. Pisarev, S. Eleonsky	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.37">https://doi.org/10.53254/ESISTUBE.VECF1.37</a>
Analysing single-lap joints bonded with a brittle adhesive by an elastic meshless method	I. Sánchez-Arce, L.D.C. Ramalho, R.D.S.G. Campilho, J.A.O.P. Belinha	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.38">https://doi.org/10.53254/ESISTUBE.VECF1.38</a>
Monitoring of concrete forming by embedded fiber-optic sensors	N. Kosheleva, G. Serovaev, G. Gusev	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.39">https://doi.org/10.53254/ESISTUBE.VECF1.39</a>
Applications of the Theory of Critical Distances: a review of recent publications	D. Taylor	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.40">https://doi.org/10.53254/ESISTUBE.VECF1.40</a>
Impact of composites: impactor shape	H. Liu, J. Liu, Y. Ding, L. Luo, J. Zhuo, X. Kong, B.R.K. Blackman, B.	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.41">https://doi.org/10.53254/ESISTUBE.VECF1.41</a>

Presentation title	Authors	DOI
	Falzon, A.J. Kinloch, J. Dear	
Investigation of microleakage in V-shaped tooth defects filled with different restorative materials	V. Hristova, T. Dikova, V. Panov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.42">https://doi.org/10.53254/ESISTUBE.VECF1.42</a>
Transverse Isotropic Behavior Identification using Digital Image Correlation of a Pre-structured...	Z. Marouene, J. Gardan, P. Lafon, C. Labergere, A. Makke, N. Recho	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.43">https://doi.org/10.53254/ESISTUBE.VECF1.43</a>
Capturing Variability in the Fracture Response of TC128B Steel using Damage Mechanics	B.W. Williams, J. McKinley, S. Xu, J. Xue, M. Spiess	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.44">https://doi.org/10.53254/ESISTUBE.VECF1.44</a>
Peridynamic formulation for Timoshenko beam	Z. Yang, E. Oterkus, S. Oterkus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.45">https://doi.org/10.53254/ESISTUBE.VECF1.45</a>
Thermal and ultrasonic analysis of fatigue damaged CFRP samples under traction and bending load	A. Pirinu, F.W. Panella	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.46">https://doi.org/10.53254/ESISTUBE.VECF1.46</a>
In situ measurements of fatigue damage evolution by electrical resistance method	R. Nobile, A. Saponaro	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.47">https://doi.org/10.53254/ESISTUBE.VECF1.47</a>
Study on fatigue properties of triangular lattice plates	Y. Li, M. Pavier, H. Coules	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.48">https://doi.org/10.53254/ESISTUBE.VECF1.48</a>
Fracture Behaviour of Collagen: Effect of Environment	S. Bose, S. Li, E. Mele, V.V. Silberschmidt	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.49">https://doi.org/10.53254/ESISTUBE.VECF1.49</a>
Application of Response Surface Method in Probabilistic Fatigue Crack Propagation Life ...	A. Loghin, S. Ismonov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.50">https://doi.org/10.53254/ESISTUBE.VECF1.50</a>
Dynamic fracture development in a multiply cracked solid	K. Uenishi, Y. Fukuda, K. Nagasawa	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.51">https://doi.org/10.53254/ESISTUBE.VECF1.51</a>
Temperature Dependence of the Luminescence output of CdWO4 Crystal. Comparison with CaF2:Eu	G. Saatsakis, K. Ninos, I. Valais, N. Kalyvas, A. Bakas, I. Kandarakis, G. Panayiotakis, C. Michail	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.52">https://doi.org/10.53254/ESISTUBE.VECF1.52</a>
Effect of Horizon Shape in Peridynamics	S. Oterkus, B. Wang, E. Oterkus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.53">https://doi.org/10.53254/ESISTUBE.VECF1.53</a>
A Novel Method for Welding Residual Deformations Prediction	R. Luca, F. Paolo, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.54">https://doi.org/10.53254/ESISTUBE.VECF1.54</a>
Effect of Seismic Load on Welded Structures Deformation	R. Luca, F. Paolo, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.55">https://doi.org/10.53254/ESISTUBE.VECF1.55</a>
Closed-Form Dispersion Relationships in Bond-Based Peridynamics	S. Oterkus, B. Wang, E. Oterkus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.56">https://doi.org/10.53254/ESISTUBE.VECF1.56</a>
Austempered ductile iron-to-steel dissimilar arc-welded joints: fatigue strength assessmen...	G. Meneghetti, A. Campagnolo, E. Pullin, S. Masaggia	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.57">https://doi.org/10.53254/ESISTUBE.VECF1.57</a>

Presentation title	Authors	DOI
Numerical determination of stress intensity factors: J-integral and mVCCT	C.D.S. Souto, S.M.O. Tavares, J.A.F.O. Correia, A.M.P. De Jesus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.58">https://doi.org/10.53254/ESISTUBE.VECF1.58</a>
Modeling nonlinear fatigue damage accumulation in a welded runway girder	K. Hectors, W. De Waele	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.59">https://doi.org/10.53254/ESISTUBE.VECF1.59</a>
Fiber push-in failure in carbon fiber epoxy composites	A.J. Brunner, J.J. Schwiedrzik, G. Mohanty, J. Michler	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.60">https://doi.org/10.53254/ESISTUBE.VECF1.60</a>
Fracture mechanics test standards for fiber-reinforced polymer composites: Suggestions for ...	A.J. Brunner, J.J. Schwiedrzik, G. Mohanty, J. Michler	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.61">https://doi.org/10.53254/ESISTUBE.VECF1.61</a>
Investigation of the Effect of Porosity on Intergranular Brittle Fracture Using Peridynamics	M. Li, S. Oterkus, E. Oterkus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.62">https://doi.org/10.53254/ESISTUBE.VECF1.62</a>
Mechanical behaviour of biomedical materials	V.V. Silberschmidt	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.63">https://doi.org/10.53254/ESISTUBE.VECF1.63</a>
Mixed mechanical-metrological approach to quantify the fractographic damage in mechanical ...	W. Macek, R. Owsiński, R. Branco, J. Trembacz	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.64">https://doi.org/10.53254/ESISTUBE.VECF1.64</a>
Longitudinal fracture analysis of inhomogeneous non-linear elastic rod with internal crack ...	V. Rizov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.66">https://doi.org/10.53254/ESISTUBE.VECF1.66</a>
Longitudinal fracture analysis of continuously inhomogeneous beams in torsion ...	V. Rizov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.67">https://doi.org/10.53254/ESISTUBE.VECF1.67</a>
Modeling the cyclic plasticity behavior of 42CrMo4 steel with an isotropic model calibrated on ...	J. Srnec Novak, M. Franulović, D. Benasciutti, F. De Bona	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.68">https://doi.org/10.53254/ESISTUBE.VECF1.68</a>
Determination of nearly mode II fracture resistance in a multi-directional CFRP laminate	M. Mega, L. Banks-Sills	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.69">https://doi.org/10.53254/ESISTUBE.VECF1.69</a>
Finite Element Analysis to Investigate the Effect of Loading Modes on the CTOA of DWTT specimens	J. Xue, B. Williams, S. Xu, W.R. Tyson	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.70">https://doi.org/10.53254/ESISTUBE.VECF1.70</a>
Application of fracture mechanics to engineering design of complex structures	G. Clerc	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.71">https://doi.org/10.53254/ESISTUBE.VECF1.71</a>
An investigation of short crack propagation and slip behaviour in a single crystal Ni-based ...	P. Zhang, K. Baxevanakis, L. Zhao	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.72">https://doi.org/10.53254/ESISTUBE.VECF1.72</a>
Observations of cleavage initiation in ferritic steel	M. Ford, A.P. Jivkov, P.M. James	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.73">https://doi.org/10.53254/ESISTUBE.VECF1.73</a>

Presentation title	Authors	DOI
Damage effect on adaptation of human trabecular bone: a novel computer model validated with ...	J. Du, S. Li, V. Silberschmidt, C. Hartley, K. Brooke-Wavell, M. Paggiosi	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.74">https://doi.org/10.53254/ESISTUBE.VECF1.74</a>
Slow-growth damage tolerance for fatigue after impact in FRP composites: Why current research ...	J.A. Pascoe	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.75">https://doi.org/10.53254/ESISTUBE.VECF1.75</a>
Peridynamic Modelling of Hertzian Indentation Failure	W. Lu, S. Oterkus, E. Oterkus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.76">https://doi.org/10.53254/ESISTUBE.VECF1.76</a>
Strain measurements along a zero-strain-trajectory as possible structural health monitoring ...	T. Bergmayr, M. Winklberger, C. Kralovec, M. Schagerl	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.77">https://doi.org/10.53254/ESISTUBE.VECF1.77</a>
Estimating the specific heat loss from temperature measurements in metal fatigue: theory and ...	G. Meneghetti, M. Ricotta, B. Atzori	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.78">https://doi.org/10.53254/ESISTUBE.VECF1.78</a>
Stress state of a rectangular domain with mixed boundary conditions	N. Vaysfeld, O. Pozhylenkov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.79">https://doi.org/10.53254/ESISTUBE.VECF1.79</a>
A cohesive-based method to replicate the effect of strain rate on RTM-6 epoxy resin in tension	D. Ma, A. Elmahdy, P. Verleysen, M. Giglio, A. Manes	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.80">https://doi.org/10.53254/ESISTUBE.VECF1.80</a>
Multiaxial fatigue life estimation of notched structures under random vibration loadings with ...	W. Yao, D. Gao	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.81">https://doi.org/10.53254/ESISTUBE.VECF1.81</a>
An extension of the Equivalent Material Concept applied to fracture of U-notched solids	F.J. Gomez, S. Cicero, A.R. Torabi	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.82">https://doi.org/10.53254/ESISTUBE.VECF1.82</a>
Acoustic Emission NDT for monitoring hygro-mechanical reactions of coated pine wood: a ...	C. Bertolin, L. de Ferri, J. Razavi, P. Aalto, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.83">https://doi.org/10.53254/ESISTUBE.VECF1.83</a>
Inhomogeneous FEM model for fracture simulation of aluminosilicate glass	Z. Wang, T. Suo, A. Manes	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.84">https://doi.org/10.53254/ESISTUBE.VECF1.84</a>
Peridynamic Modelling of Periodic Microstructured Materials	W. Xia, E. Oterkus, S. Oterkus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.85">https://doi.org/10.53254/ESISTUBE.VECF1.85</a>
Homogenization of Peridynamic Models: Effect of Inclusion Shape on Effective Properties	Y.K. Galadima, E. Oterkus, S. Oterkus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.86">https://doi.org/10.53254/ESISTUBE.VECF1.86</a>
Ballistic Performance of Polyurea-Coated Metallic Targets: Numerical Study	T. Stergiou, K. Baxevanakis, A. Roy, N. Sazhenkov, M.A.	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.87">https://doi.org/10.53254/ESISTUBE.VECF1.87</a>

Presentation title	Authors	DOI
	Nikhamkin, V.V. Silberschmidt	
Investigation into residual stresses inherited during manufacturing of carbon-epoxy composites ...	D.A. Bondarchuk, B.N. Fedulov, A.N. Fedorenko, E.V. Lomakin	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.88">https://doi.org/10.53254/ESISTUBE.VECF1.88</a>
Mode I fatigue limit of V- and U-notches(	A. Sapora, P. Cornetti, A. Campagnolo, G. Meneghetti	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.89">https://doi.org/10.53254/ESISTUBE.VECF1.89</a>
Mixed-mode evaluation of ductile adhesive joints by the single-leg bending test	J.P.S.M.B. Ribeiro, R.D.S.G. Campilho, R.J.B. Rocha	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.90">https://doi.org/10.53254/ESISTUBE.VECF1.90</a>
Automated fatigue strength assessment of arc-welded structures according to the Peak Stress ...	G. Meneghetti, A. Campagnolo, A. Visentin	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.91">https://doi.org/10.53254/ESISTUBE.VECF1.91</a>
Dynamic deformation of fiber-metal laminates depending on its metal thickness	N.S. Selyutina	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.92">https://doi.org/10.53254/ESISTUBE.VECF1.92</a>
FE-simulation of the weld bead deposition process for the evaluation of residual stress in ...	A. Chiocca, F. Frendo, L. Bertini	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.93">https://doi.org/10.53254/ESISTUBE.VECF1.93</a>
Crack Detection and Localization with Multiple Potential Drop Measurements	L. Wiehler, J. Bär	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.94">https://doi.org/10.53254/ESISTUBE.VECF1.94</a>
Predictive Analytics as a Way to Smart Maintenance of Hydraulic Turbines	E. Georgievskiaia	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.95">https://doi.org/10.53254/ESISTUBE.VECF1.95</a>
A New Model For Hydrogen-Induced Crack (HIC) Growth in Metal Alloy Pipelines Under Extreme Pressure	A.V. Balueva, I.N. Dashevskiy, J. Magana	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.97">https://doi.org/10.53254/ESISTUBE.VECF1.97</a>
Combination of viscoelastic elements and shunted piezoelectric elements for enhancing ...	D.A. Oshmarin, N. V. Sevocina, N. A. Iurlova, M. A. Iurlov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.98">https://doi.org/10.53254/ESISTUBE.VECF1.98</a>
Damage in extrusion additive manufactured parts: effect of environment and cyclic loading	A. Moetazedian, A. Gleadall, E. Mele, V.V. Silberschmidt	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.99">https://doi.org/10.53254/ESISTUBE.VECF1.99</a>
Damage in extrusion additive manufactured parts: effect of environment and cyclic loading		<a href="https://doi.org/10.53254/ESISTUBE.VECF1.100">https://doi.org/10.53254/ESISTUBE.VECF1.100</a>
Fracture of 3D-printed micro-tensile specimens: filament-scale geometry induced anisotropy	J. Allum, A. Gleadall, V.V. Silberschmidt	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.101">https://doi.org/10.53254/ESISTUBE.VECF1.101</a>

Presentation title	Authors	DOI
The equivalence of TCD and FFM for fatigue limit prediction of notched specimens as ...	L. Yong, G. Baoming	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.102">https://doi.org/10.53254/ESISTUBE.VECF1.102</a>
Improved local approach to cleavage fracture captures temperature and constraint effects in ...	M.S. Yankova, A.P. Jivkov, R. Patel, A.H. Sherry	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.103">https://doi.org/10.53254/ESISTUBE.VECF1.103</a>
Evaluation and numerical modeling of phenomenological approach for az31b-f magnesium alloy ...	R. Moreira, V. Anes, M. Freitas, L. Reis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.104">https://doi.org/10.53254/ESISTUBE.VECF1.104</a>
The dynamic thermoelasticity problem for a finite hollow cylinder with a cut along a generatrix	H. Lutsenko, N. Vaysfel'd	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.105">https://doi.org/10.53254/ESISTUBE.VECF1.105</a>
Anisotropy of hydrogen embrittlement in cold-drawn pearlitic steel: A tribute to Mantegna	J. Toribio	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.106">https://doi.org/10.53254/ESISTUBE.VECF1.106</a>
TCD-based fatigue lifetime prediction of structural adhesives	V.C. Beber, B. Schneider	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.107">https://doi.org/10.53254/ESISTUBE.VECF1.107</a>
Fatigue Behaviour of Bolted Joints for Rack Structures	L.F.R.C. da Silva, V.M.C Gomez, A.M.P. De Jesus, M. Figueiredo, J. A. F. O. Correira, G. Lesiuk, A. A. Fernandes	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.108">https://doi.org/10.53254/ESISTUBE.VECF1.108</a>
Subsea power cable sheathing: an investigation of lead fatigue performance	L. M. Viespoli, A. Johanson, A. Alvaro, B. Nyhus, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.109">https://doi.org/10.53254/ESISTUBE.VECF1.109</a>
Potentiality of hybrid structures in CFRP and additive manufactured metal octet-truss lattice	C. Bellini, V. Di Cocco, F. Iacoviello, L. Sorrentino, R. Borrelli, S. Franchitti	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.110">https://doi.org/10.53254/ESISTUBE.VECF1.110</a>
Multiaxial fatigue life assessment in notched components based on the effective strain energy ...	R. Branco, J.D. Costa, L.P. Borrego, F. Berto, J. Razavi, W. Macek	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.111">https://doi.org/10.53254/ESISTUBE.VECF1.111</a>
Weibull probability distribution for reactor steel 20MnMoNi55 failure at transition temperature	B. Dordevic	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.112">https://doi.org/10.53254/ESISTUBE.VECF1.112</a>
Monitoring of stress-strain state in steel oil storage tanks. Features of strain gauges ...	G. Gusev, I. Shardakov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.113">https://doi.org/10.53254/ESISTUBE.VECF1.113</a>
Methods for automated crack length detection in fatigue tests of unreinforced polymers	A. Gosch	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.114">https://doi.org/10.53254/ESISTUBE.VECF1.114</a>

Presentation title	Authors	DOI
Invited Lecture: Characterisation of Crack Tip Fields	M. Neil James, Francisco A. Díaz, José Vasco-Olmo	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.115">https://doi.org/10.53254/ESISTUBE.VECF1.115</a>
Numerical simulation of fatigue crack growth through different welded joint regions	S.A. Sedmak, A. Grbović, S. Perković, Z. Burzić, Z. Radaković	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.116">https://doi.org/10.53254/ESISTUBE.VECF1.116</a>
Crack propagation in 3PB specimen made from welded joint	M. Aranđelović, S.A. Sedmak, Lj. Milović, A. Maksimović, Ž. Božić	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.117">https://doi.org/10.53254/ESISTUBE.VECF1.117</a>
Analysis of quasistatic deformation of a reinforced concrete structure based on the results of ...	I. SHardakov, I. Glot, A. Shestakov, R. Tsvetkov, V. Yerin, G. Gusev	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.118">https://doi.org/10.53254/ESISTUBE.VECF1.118</a>
Shear Strengthening of Reinforced Concrete T-beams using CFRP laminates anchored with bent CFRP ...	H. H. Mhanna, R. A. Hawileh, J. A. Abdalla	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.119">https://doi.org/10.53254/ESISTUBE.VECF1.119</a>
Analysis of crack-tip constraint due to V- and U- side grooves in C(T) specimens	C. Soupramanien, S. Sivaprasad, R. V. Prakash	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.120">https://doi.org/10.53254/ESISTUBE.VECF1.120</a>
Lattice topology homogenization and crack propagation through finite element analyses	F. Vladulescu, D. M. Costantinescu	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.121">https://doi.org/10.53254/ESISTUBE.VECF1.121</a>
Local tensile mechanical properties of laser beam welded AA2198 joints under different ...	T.N. Examilioti, N. Kashaev, J. Enz, B. Klusemann, N.D. Alexopoulos	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.122">https://doi.org/10.53254/ESISTUBE.VECF1.122</a>
Effect of U-Wrap Anchors on the Strength and Ductility of Externally Bonded RC Beams with ...	K. Douier, R. Hawileh, J. A. Abdalla	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.123">https://doi.org/10.53254/ESISTUBE.VECF1.123</a>
Fatigue crack initiation direction on optimally designed cruciform specimens	R. Cláudio, R. Baptista, P. Cardador, L. Reis, M. Freitas	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.124">https://doi.org/10.53254/ESISTUBE.VECF1.124</a>
Numerical simulation of cement grouting of saturated soil during a mine shaft sinking using ...	M.S. Zhelnin, A.A. Kostina, O.A. PLekhov, L. Y. Levin	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.125">https://doi.org/10.53254/ESISTUBE.VECF1.125</a>
Role of hydrogen in operational degradation of pipeline steel	H. Nykyforchyn, O. Tsyrulnyk, O. Zvirko, M. Hredil	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.126">https://doi.org/10.53254/ESISTUBE.VECF1.126</a>
A Fatigue Assessment of Leaf Springs in Railway Sector	V. Gomes, J. Noto, P. Montenegro, J., Correia, R. Calcada, R., R., A. De Jesus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.127">https://doi.org/10.53254/ESISTUBE.VECF1.127</a>
The study of the surface fracture during wear of C/C fiber composites by SPM and SEM	A.G. Shpenev	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.128">https://doi.org/10.53254/ESISTUBE.VECF1.128</a>

Presentation title	Authors	DOI
Numerical Modelling of Failure Mechanism of a Ti/SiC Metal Matrix Nanocomposite Coating ...	P. Shojaei, R. Scazzosi, M. Trabia, B. O. Toole, M. Giglio, A. Manes	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.129">https://doi.org/10.53254/ESISTUBE.VECF1.129</a>
Construction plate enforced by metamaterial elements	B. N. Fedulov, A. N. Fedorenko, S. A. Jurgenson, M. M. Kantor, E. V. Lomakin	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.130">https://doi.org/10.53254/ESISTUBE.VECF1.130</a>
An integrated model to predict the microstructure evolution and the mechanical behaviour of a ..	V. Di Cocco, C. Bellini, F. Iacoviello, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.131">https://doi.org/10.53254/ESISTUBE.VECF1.131</a>
Microstructure-informed modelling of the fracture toughness of alloys representing ...	S. Ren, B. Marini, P. Joly, P. Todeschini	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.132">https://doi.org/10.53254/ESISTUBE.VECF1.132</a>
Application of rock damage model to thermal oil recovery	A. Kostina, M. Zhelnin, O. Plekhov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.133">https://doi.org/10.53254/ESISTUBE.VECF1.133</a>
Energy-based failure prediction of notched FDM printed PLA specimens	P. Seibert, J. Razavi, L. Susmel, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.134">https://doi.org/10.53254/ESISTUBE.VECF1.134</a>
Damage detection in rotating objects using position-triggered thermography	P.J. Sousa, F. Barros, N.V. Ramos, P.J. Tavares, P.M.G.P. Moreira	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.135">https://doi.org/10.53254/ESISTUBE.VECF1.135</a>
Simulation of fracture of heat-resistant alloys under creep and neutron irradiation conditions	V. Gorokhov, D. Kazakov, S. Kapustin, Y. Churilov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.136">https://doi.org/10.53254/ESISTUBE.VECF1.136</a>
Effects of raster layup and printing speed on strength of 3D-printed structural components	M.R. Khosravani, T. Reinicke	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.137">https://doi.org/10.53254/ESISTUBE.VECF1.137</a>
Multiaxial low cycle fatigue assessment of notch specimens for 10CrNi3MoV steel and its welds	S. Wei, X. Liu, J. Xu, Y. Fan, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.138">https://doi.org/10.53254/ESISTUBE.VECF1.138</a>
A Novel Analytical Solution on the SIF by the Stress Dead-zone Hypothesis	B.F. Farahani, F. Q. de Melo, P. Tavares, P. Moreira	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.139">https://doi.org/10.53254/ESISTUBE.VECF1.139</a>
New approaches on the stress intensity factor characterization - Review	B.F. Farahani, F. Q. de Melo, P. Tavares, P. Moreira	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.140">https://doi.org/10.53254/ESISTUBE.VECF1.140</a>
Tensile and fatigue behavior of a Pb-Sn-Sb alloy investigated via small-scale in-situ mechanical ...	D. Wan, L.M. Viespoli, A. Johanson, A. Brocks Hagem, F. Berto, A. Alvaro	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.141">https://doi.org/10.53254/ESISTUBE.VECF1.141</a>
GPU-based digital image correlation system for uniaxial	F. Conrad, A. Blug, J. Kerl, J. Fehrenbach, D.J. Regina, A. Bertz, C.	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.142">https://doi.org/10.53254/ESISTUBE.VECF1.142</a>

Presentation title	Authors	DOI
and biaxial crack growth investigations	Kontermann, D. Carl, M. Oechsner	
Loading parameters influence on the dynamic curve	N. Mikhailova	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.143">https://doi.org/10.53254/ESISTUBE.VECF1.143</a>
Numerical analyses for calibrating the direct current potential drop (DCPD) method in fracture ...	G. Meneghetti, L. Vecchiato, A. Campagnolo, P. Rech, M. Cova	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.144">https://doi.org/10.53254/ESISTUBE.VECF1.144</a>
The embankment-subsoil subjected to multidirectional seismic loading simultaneously-prediction ...	A. Namdar	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.145">https://doi.org/10.53254/ESISTUBE.VECF1.145</a>
Prediction of the settlement of a pile and assessment seismic soil-pile interaction...	A. Namdar	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.146">https://doi.org/10.53254/ESISTUBE.VECF1.146</a>
Comparative analysis of printing parameters effect on mechanical properties of natural PLA and ...	A. Milovanovic, A. Semak, A. Grbovic, Z. Golubovic, G. Mladenovic, L. Colic, M. Milosevic	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.147">https://doi.org/10.53254/ESISTUBE.VECF1.147</a>
Structural Health Monitoring of Adhesivly Bonded Joints: Proposing a new Method by use of ...	J. Weiland, R. Seewald, A. Schiebahn, R. Engelbrecht, U. Reisgen	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.148">https://doi.org/10.53254/ESISTUBE.VECF1.148</a>
Experimental determination of toughness under mode I/II loading	S. Henschel, F. Posselt, S. Dudczig, C.G. Aneziris, L. Kruger	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.149">https://doi.org/10.53254/ESISTUBE.VECF1.149</a>
Modeling of AMg6 aluminum alloy jump-like deformation properties by machine learning methods ...	I. Didych, O. Yasniy, S. Fedak, Y. Lapusta	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.150">https://doi.org/10.53254/ESISTUBE.VECF1.150</a>
Study of the sensitivity of GNT parameters	Y. Chahboub, S. Szabolcs	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.151">https://doi.org/10.53254/ESISTUBE.VECF1.151</a>
Evaluation of Static and Fatigue Properties of Regular Lattice and Trabecular Cellular Structures	S. Raghavendra, A. Molinari, V. Fontana, M. Benedetti, G. Zappini	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.152">https://doi.org/10.53254/ESISTUBE.VECF1.152</a>
Experimental characterization and numerical simulation of nanoindentation behavior of ...	P. Bazios, K.I. Tserpes, S. Pantelakis, N. Michailidis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.153">https://doi.org/10.53254/ESISTUBE.VECF1.153</a>
Influence of seams in the mechanical properties of PLA produced with multiple extrusion modules	M. Sardinha, N. Frutuoso, C.M.S. Vicente, R. Ribeiro, M. Leite, L. Reis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.154">https://doi.org/10.53254/ESISTUBE.VECF1.154</a>
High-rated loading, deformation and fracture of thick-walled composite cylinders with an ...	V. Kats, V. Morozov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.155">https://doi.org/10.53254/ESISTUBE.VECF1.155</a>

Presentation title	Authors	DOI
Brittle fracture manifestation in gas pipeline steels after long term operation	M. Hredil, H. Krechovska, O. Student, O. Tsyrulnyk	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.156">https://doi.org/10.53254/ESISTUBE.VECF1.156</a>
Pressurized thermal shock of a reactor pressure vessel; a CFD and FEM study on the ...	C. Versteylen	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.157">https://doi.org/10.53254/ESISTUBE.VECF1.157</a>
The influence of anodization process on tensile properties of Ti-13Nb-13Zr alloy	D. Barjaktarević, B. Medjo, P. Štefane, I. Cvijović-Alagić, V. Djokic, N. Gubeljak, M. Rakin	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.158">https://doi.org/10.53254/ESISTUBE.VECF1.158</a>
Interfacial debonding in compacted graphite iron: effect of thermal loading	E. N. Palkanoglou, K. P. Baxevanakis, V. V. Silberschmidt	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.160">https://doi.org/10.53254/ESISTUBE.VECF1.160</a>
Analytical approach for stress analysis in tensile test of ceramic coating on Co-Cr dental alloy ...	N. Dolgov, T. Dikova	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.161">https://doi.org/10.53254/ESISTUBE.VECF1.161</a>
Hybrid approach to describe and understand the influence of inclusions on the transition ...	Y. Sparrer, M. Konemann, S. Munstermann	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.162">https://doi.org/10.53254/ESISTUBE.VECF1.162</a>
Identification of fatigue damage mechanism in PA38-T6 aluminum alloy under multiaxial ...	J. Seyda, L. Pejkowski, D. Skibicki	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.163">https://doi.org/10.53254/ESISTUBE.VECF1.163</a>
Study on Shear Behavior of Steel Fiber Reinforced Concrete Small Beams	Z. Marcalikova P. Mateckova, M. Racek, D. Bujdos	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.164">https://doi.org/10.53254/ESISTUBE.VECF1.164</a>
Determination of the mechanical properties of concrete using the split Hopkinson pressure bar method	A.M. Bragov, A. Yu, Konstantinov, D.A. Lamzin, A.K. Lomunov, M.E. Gonov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.165">https://doi.org/10.53254/ESISTUBE.VECF1.165</a>
Analysis of interacting cracks in functionally graded thermal barrier coatings	V. Petrova, S. Schmauder	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.166">https://doi.org/10.53254/ESISTUBE.VECF1.166</a>
Features of weld metal brittle fracture in Charpy tests	V.V. Sudin, M.M. Kantor, K.A. Solntsev	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.167">https://doi.org/10.53254/ESISTUBE.VECF1.167</a>
Polyurea-coated glass-fibre-reinforced laminate under high-speed impact: Experimental study	N.A. Sazhenkov, S.V. Semenov, L.V. Voronov, A.D. Kurakin, M.Sh. Nikhamkin, K. Baxevanakis, A. Roy, T. Stergiou, V.V. Silberschmidt	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.168">https://doi.org/10.53254/ESISTUBE.VECF1.168</a>
Dynamic response of UHPFRCs in direct-shear tests	E Cadoni, M. Dotta, D. Forni, G. Riganti	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.169">https://doi.org/10.53254/ESISTUBE.VECF1.169</a>
Experimental investigation of fatigue crack induced energy	A. Vshivkov, A. Iziumova, O. Plekhov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.170">https://doi.org/10.53254/ESISTUBE.VECF1.170</a>

Presentation title	Authors	DOI
dissipation under mixed mode loading		
Instabilities encountered in the dynamic crack propagation process under impact loading as a ...	Y. Petrov, N. Kazarinov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.171">https://doi.org/10.53254/ESISTUBE.VECF1.171</a>
Defining relations of mechanics of damaged media effected by fatigue and creep(	L. Igumnov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.172">https://doi.org/10.53254/ESISTUBE.VECF1.172</a>
High-speed deformation and failure of titanium alloy	V.V. Balandin, VI.VI. Balandin, A.M. Bragov, A.Yu. Konstantinov, A.V. Kuznetsov, G.G. Savenkov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.173">https://doi.org/10.53254/ESISTUBE.VECF1.173</a>
Identification and transferability of constitutive parameters for a non-local GTN-mode	M. Kuna, A. Seupel, G. Hutter	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.174">https://doi.org/10.53254/ESISTUBE.VECF1.174</a>
Comparison of tensile strength fiber reinforced concrete with different types of fibers	Z. Marcalikova, M. Racek, P. Mateckova, R. Cajka	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.175">https://doi.org/10.53254/ESISTUBE.VECF1.175</a>
Applicability of the load separation criterion in J-testing of polymers: Effect of the specimen size	F. Arbeiter, A. Gosch, S. Agnelli, M. Berer, G. Pinter, F. Baldi	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.176">https://doi.org/10.53254/ESISTUBE.VECF1.176</a>
Mathematical modeling of progressive failure of two-layer metal-plastic shells of revolution...	L. Igumnov, N. Abrosimov, N. Novoseltseva	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.177">https://doi.org/10.53254/ESISTUBE.VECF1.177</a>
The introduction of critical distance in the description of dynamic experiments based on ...	A. Vedernikova, A. Kostin, O. Plekhov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.178">https://doi.org/10.53254/ESISTUBE.VECF1.178</a>
Crack growth propagation modeling based on moving mesh method and interaction integral approach	D.Ammendolea, F. Greco, P. Leonetti, P.N. Blasi, A. Pascuzzo	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.179">https://doi.org/10.53254/ESISTUBE.VECF1.179</a>
Development of a special specimen geometry for the experimental determination of fracture ...	D. Weiß, B. Schramm, G. Kullmer	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.180">https://doi.org/10.53254/ESISTUBE.VECF1.180</a>
The theory of Critical Distance to predict static and dynamic strength of nothecd plain ...	N. Alanazi, L. Susmel	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.181">https://doi.org/10.53254/ESISTUBE.VECF1.181</a>
Use of Mini-Specimens to Study Ductile Failure of Engineering Materials	C. Belhadj, C. Soret, Y. Madi, J. Besson	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.182">https://doi.org/10.53254/ESISTUBE.VECF1.182</a>

Presentation title	Authors	DOI
Reliable and efficient simulation of ductile failure over long distances	A. El ouazani Tuhami, J. Besson, S. Feld-Payet, N. Osipov, S. Quilici	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.183">https://doi.org/10.53254/ESISTUBE.VECF1.183</a>
Assessment of lightweight concrete properties under cryogenic temperatures	F. Stochino, M. Valdes, F. Mistretta, M. Sassu	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.184">https://doi.org/10.53254/ESISTUBE.VECF1.184</a>
Development of a ductile damage model implemented within creep crack growth simulations of ...	M. Jones, C. Mair Davis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.185">https://doi.org/10.53254/ESISTUBE.VECF1.185</a>
The Critical Distance Method to estimate the fatigue strength of notched additively ...	I. Al Zamzami, S.M.J. Razavi, F. Berto, L. Susmel	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.186">https://doi.org/10.53254/ESISTUBE.VECF1.186</a>
Modelling of Weibull Distributions in Brittle Solids Using 2-Dimensional Bond-Based Peridynamics	L.D. Jones, T.A. Haynes, L. J. Vandeperre, M.R. Wenman	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.187">https://doi.org/10.53254/ESISTUBE.VECF1.187</a>
Static Assessment of Notched Additively Manufactured Acrylonitrile Butadiene Styrene (ABS)	C. Tze Ng, L. Susmel	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.188">https://doi.org/10.53254/ESISTUBE.VECF1.188</a>
The experimental investigation of physical and mechanical properties of processes accompanied ...	A. Prokhorov, M. Zhelnin, A. Kostina, P. Plekhov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.189">https://doi.org/10.53254/ESISTUBE.VECF1.189</a>
Application of the TCD for defect severity ranking in in-line-inspection datasets	N.O. Larrosa, P. Lopez-Crespo, R.A. Ainsworth	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.190">https://doi.org/10.53254/ESISTUBE.VECF1.190</a>
Predicting the lifetime of nanoelements: a new trend in micromechanics	S. Kotrechko, A. Timoshevski, E. Kolyvoshko, Y. Matviychuk, N. Stetsenko	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.191">https://doi.org/10.53254/ESISTUBE.VECF1.191</a>
Single cylinder subjected to vortex-induced vibrations: estimating cyclic stresses for fatigue ...	D. Mella, W. Brevis, L. Susmel	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.192">https://doi.org/10.53254/ESISTUBE.VECF1.192</a>
Effect of matrix microstructure and second-phase particles on the damage behaviour of hot ...	A. Milani, C. Philippot, V. Esin, F. Azzouz, E. Lucas, P. Drillet, A.-F. Gourgues	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.193">https://doi.org/10.53254/ESISTUBE.VECF1.193</a>
J-integral evaluation of additively manufactured polymer using digital image correlation and FE ...	M.A. Bouaziz, J. Marae Djouda F. Hild	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.194">https://doi.org/10.53254/ESISTUBE.VECF1.194</a>
Multiaxial fatigue assessment of S355 steel in the high-cycle region by using Susmel's model	R. Dantas, J. Correia, G. Lesiuk, D. Rozumek, S-P.	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.195">https://doi.org/10.53254/ESISTUBE.VECF1.195</a>

Presentation title	Authors	DOI
	Zhu, A. de Jesus, L. Susmel, F. Berto	
Estimating T0 for a low alloy structural steel: Charpy correlations and the master curve	A.N. Connor, C. M. Davies, S.J. Garwood	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.196">https://doi.org/10.53254/ESISTUBE.VECF1.196</a>
The role of microstructure on damage tolerance in nano-bainitic steels	A. Kumar, A. Singh	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.197">https://doi.org/10.53254/ESISTUBE.VECF1.197</a>
High rate damage of composite material for modelling of energy absorbing structures	A. Fedorenko, B. Fedulov, E. Lomakin	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.198">https://doi.org/10.53254/ESISTUBE.VECF1.198</a>
Calibrating a ductile damage model for two pipeline steels: methodology & challenges	R. Depraetere, S. Hertelé, W. De Waele, K. Verbeken, T. Depover, M. Cauwels	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.199">https://doi.org/10.53254/ESISTUBE.VECF1.199</a>
Verification of stiffness and surface treatment of axial bearing levers by static tests	K. Monkova, M. Urban, P. Monka	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.200">https://doi.org/10.53254/ESISTUBE.VECF1.200</a>
Creep-fatigue crack growth rate based on damage accumulation function	V.N. Shlyannikov, A.V. Tumanov, A.P. Zakharov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.201">https://doi.org/10.53254/ESISTUBE.VECF1.201</a>
Physical based parameters of statistical strength distributions	L.R. Botvina, I.O. Sinev, A.V. Larionova	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.202">https://doi.org/10.53254/ESISTUBE.VECF1.202</a>
Energy-based approach for failure assessment of 3D architected materials	M. Maurizi, B. Edwards, J. Greer, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.203">https://doi.org/10.53254/ESISTUBE.VECF1.203</a>
Loosening Behavior of Ripped Nuts Based on the Fastener Tightening Strategy and Plate Hardness	B. Tanrikulu, S. Yurtdas, B. Toparli, C. Kilicaslan, U. Ince	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.204">https://doi.org/10.53254/ESISTUBE.VECF1.204</a>
A New Analytical Model to Estimate Maximum Internal Socket Depth of Non-reduced Strength Bolts	F. Kocaturk, M. Burak Toparli, B. Tanrikulu, U. Ince, C. Kilicaslan	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.205">https://doi.org/10.53254/ESISTUBE.VECF1.205</a>
The Effect of Stress State on the Adhesive Strength of a Glued Sandwich in Shear-Compression Testing	S. Smirnov, I. Veretennikova, D. Vichizhnin, A. Pestov, E. Smirnova	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.206">https://doi.org/10.53254/ESISTUBE.VECF1.206</a>
Large-scale survey method for the integrity of historical urban walls: application to the case ...	M.L. Puppio, E. Vagagini, L. Giresini, M. Sassu	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.207">https://doi.org/10.53254/ESISTUBE.VECF1.207</a>
Utilization of Normal Vectors for Description of Fracture Surfaces	S. Major	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.208">https://doi.org/10.53254/ESISTUBE.VECF1.208</a>
Interference-optic methods in fracture mechanics: digital	L. Stepanova	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.209">https://doi.org/10.53254/ESISTUBE.VECF1.209</a>

Presentation title	Authors	DOI
photoelasticity, speckle-interferometry...		
Mode II delamination growth in composite materials using peridynamic theory	E. Gok, U. Yolum, M. A. Guler	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.210">https://doi.org/10.53254/ESISTUBE.VECF1.210</a>
Volume Free Strain Energy Density Method for Applications to Blunt V-Notches	P. Foti, S. M. J. Razavi, L. Marsavina, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.211">https://doi.org/10.53254/ESISTUBE.VECF1.211</a>
High strain-rate behaviour of a Tungsten alloy	E. Cadoni, M. Dotta, D. Forni	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.212">https://doi.org/10.53254/ESISTUBE.VECF1.212</a>
Tensile damage evolution of structural steels with different structure	M.R. Tyutin, L.R. Botvina	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.213">https://doi.org/10.53254/ESISTUBE.VECF1.213</a>
Flexible graphite as beam dumping material in the TDE blocks of LHC	E. Solfiti, M. Calviani, A. Perillo-Marcone, J.M. Heredia, C. Torregrosa, A. Alvaro, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.214">https://doi.org/10.53254/ESISTUBE.VECF1.214</a>
Strategies to increase the compressive strength of ultra-lightweight foamed concrete	D. Falliano, L. Restuccia, G.A. Ferro, E. Gugliandolo	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.215">https://doi.org/10.53254/ESISTUBE.VECF1.215</a>
Temperature and geometry effect on fracture toughness in the DBT region	A. Amzil, A. Dahl, J. Besson	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.216">https://doi.org/10.53254/ESISTUBE.VECF1.216</a>
Quasilinearization method for analytical solutions to nonlinear problems of solid mechanics ...	R.M. Zhabbarov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.217">https://doi.org/10.53254/ESISTUBE.VECF1.217</a>
Molecular dynamics simulations of mixed mode crack growth in Cu specimens: crack propagation ...	L. Stepanova	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.219">https://doi.org/10.53254/ESISTUBE.VECF1.219</a>
Calibration of coupled ductile fracture locus model using Artificial Neural Networks	S. Baltic, M.Z. Asadzadeh, J. Magnien, H.-P. Ganser, T. Antretter, R. Hammer	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.220">https://doi.org/10.53254/ESISTUBE.VECF1.220</a>
Experimental and numerical assessment of the end of the thermoelastic effect during static ...	G. Risitano, D. Santonocito	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.221">https://doi.org/10.53254/ESISTUBE.VECF1.221</a>
Interfacial fracture behavior of a thermal barrier coating system on Ni-based superalloys	E. Fedorova, A. Burov, N. Sukhodoeva	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.222">https://doi.org/10.53254/ESISTUBE.VECF1.222</a>
Reliability and safety of complex technical systems	V. V. Moskvichev	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.223">https://doi.org/10.53254/ESISTUBE.VECF1.223</a>
Synthesis and Evaluation of Coprecipitated Hydroxyapatite/Magnesium based Composites for ...	S. Jaiswal, A. Dubey, A. Garg, D. Lahiri	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.224">https://doi.org/10.53254/ESISTUBE.VECF1.224</a>

Presentation title	Authors	DOI
Analysis of Mechanical Behavior of Multi-functional CFRP under Bending and DCB Mode-I Fracture	A. Singh, S. Pourhassan, C. Sguazzo, X. Yi, Z. Shao, P. Moreira	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.225">https://doi.org/10.53254/ESISTUBE.VECF1.225</a>
Dynamic fracture effects observed in discrete mechanical systems	N. Kazarinov, Y. Petrov, A. Gruzkov, A. Smirnov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.226">https://doi.org/10.53254/ESISTUBE.VECF1.226</a>
Experimental and FE investigations on the influential parameters in positioning and ...	M.Z. Sadeghi, J. Weiland, J. Zimmermann, A. Schiebahn, U. Reisgen, K.U. Schroeder	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.227">https://doi.org/10.53254/ESISTUBE.VECF1.227</a>
Influence of fracture envelope on FE failure load prediction of adhesively bonded joints by ...	M.Z. Sadeghi, J. Zimmermann, K. Saravana, A. Gabener, A. Dafnis, K.U. Schroeder	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.228">https://doi.org/10.53254/ESISTUBE.VECF1.228</a>
Experimental approach for the study of wood strength at fracture in mode II by using a modified ...	A. Saoud, A. Elamri, K. Kimakh	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.229">https://doi.org/10.53254/ESISTUBE.VECF1.229</a>
Influence of stress ratio on structural fatigue of pseudoelastic NiTi alloy	V. Iasnii, P. Yasniy	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.230">https://doi.org/10.53254/ESISTUBE.VECF1.230</a>
Sensitivity Analysis of load frequency and BLOCK cycles on the fatigue limit measurement by ...	C. F. C. Bandeira, J. T. P. De Castro, F. Pradelle, P. P. Kenedi	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.231">https://doi.org/10.53254/ESISTUBE.VECF1.231</a>
Assessment of mode I stress intensity factor of SENT specimens based on Digital Image ...	R. Rhanim, M. Lahlou, F. Majid, Z. Najat, H. Rhanim, I. Mrani	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.232">https://doi.org/10.53254/ESISTUBE.VECF1.232</a>
Mechanical behavior and crack propagation of 3D printed and extruded Acrylonitrile Butadiene ...	F. Majid, M. Lahlou, R. Rhanim, N. Zekeriti, H. Rhanim, B. Mrani	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.233">https://doi.org/10.53254/ESISTUBE.VECF1.233</a>
Effect of artificial saliva on the fatigue and wear behaviour of TiAl6V4 produced by SLM	J. De Jesus, L. Vilhena, L.P. Borrego, J.A.M. Ferreira, A. Ramalho, C. Capela	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.234">https://doi.org/10.53254/ESISTUBE.VECF1.234</a>
Dynamic response characteristics of an automotive lamp assembly	C. Okeke	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.235">https://doi.org/10.53254/ESISTUBE.VECF1.235</a>
Energy characteristics of interfacial bridged cracks	M. Perelmutter	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.236">https://doi.org/10.53254/ESISTUBE.VECF1.236</a>
Influence of weld porosity on crack growth measurement in single-edge notched tension testing ...	V. Adriano, R. Depraetere, W. De Waele, S. Hertelé	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.237">https://doi.org/10.53254/ESISTUBE.VECF1.237</a>

Presentation title	Authors	DOI
Use of bore-epoxy anchorage system with CFRP sheets for shear strengthening of RC Beams	J.A. Abdalla, K. Mohamed, R. A. Hawileh	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.238">https://doi.org/10.53254/ESISTUBE.VECF1.238</a>
Examination of a ternary cement-based restoration paste with incorporated carbon-based nanomaterials	C.M. Charalampidou, N.D. Alexopoulos, A. E. Dimou, Z. S. Metaxa, S. K. Kourkoulis, I. Karatasios	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.239">https://doi.org/10.53254/ESISTUBE.VECF1.239</a>
A fatigue crack growth model incorporating surface roughness for wire+arc additively ...	K. Samadian, W. De Waele	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.240">https://doi.org/10.53254/ESISTUBE.VECF1.240</a>
Numerical implementation of a fatigue cohesive zone model and simulation of mode I crack ...	M.A. Mbache, R. Bensaada, J. Raujol, B. Lascoup, A. Filiot	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.241">https://doi.org/10.53254/ESISTUBE.VECF1.241</a>
Method of protection of cathode blocks of aluminium electrolysis cells	N.Ogoreltseva, E.Fedorova, I.Puzanov, A.Zavadyak, G.Nagibin, I.Kirillova	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.242">https://doi.org/10.53254/ESISTUBE.VECF1.242</a>
Application of the incremental step loading technique to Small Punch Tests on S420 steel ...	B. Arroyo, L. Andrea, P. Gonzales, J.A. Alvarez, S. Cicero, R. Lacalle, A. Fernandez	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.243">https://doi.org/10.53254/ESISTUBE.VECF1.243</a>
The role of the testing rate on Small Punch tests for the estimation of fracture toughness ...	B. Arroyo, J.A. Alvarez, F. Gutierrez-Solana, R. Lacalle, S. Cicero	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.244">https://doi.org/10.53254/ESISTUBE.VECF1.244</a>
Strain-rate sensitivity of electrically modified carbon-epoxy composites under dynamic ...	S.P. Shamchi, C. Sguazzo, A. Singh, X. Yi, Z. Zhao, P.M.G.P. Moreira	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.245">https://doi.org/10.53254/ESISTUBE.VECF1.245</a>
Investigating Mechanical Properties of PGLA Fibers as a Function of Degradation Time	A. Singh, R.M. Guedes	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.246">https://doi.org/10.53254/ESISTUBE.VECF1.246</a>
A digital tool for the assessment of out-of-plane mechanisms in historic buildings	C. Turco, M.F. Funari, S. Spadea, M. Ciantia	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.247">https://doi.org/10.53254/ESISTUBE.VECF1.247</a>
On the elastic and fracture properties of PVC foam	F. Fabbrocino, M.F: Funari, S: Spadea, P. Lonetti	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.248">https://doi.org/10.53254/ESISTUBE.VECF1.248</a>
Bond stress and behavior of interface between untreated aluminum alloy surface and concrete	J.A. Abdalla, A.M. Mirghani, R. A. Hawileh	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.249">https://doi.org/10.53254/ESISTUBE.VECF1.249</a>
Calculation of a Composite Material's Modulus of Elasticity using Representative ...	S. Anastopoulos, F. Glvannaki, P. Papanikos, Z. Metaxa, N.D. Alexopoulos	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.250">https://doi.org/10.53254/ESISTUBE.VECF1.250</a>

Presentation title	Authors	DOI
Ductile crack extension under small scale yielding modeled using a gradient enriched energy ...	J. Besson, Y. Chen, E. Lorentz	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.251">https://doi.org/10.53254/ESISTUBE.VECF1.251</a>
Preliminary calibration of a Numerical Model for the Hybrid Metal Extrusion & Bonding (HYB) Process	F. Leoni, H.G. Fjaer, O. Grong, P. Ferro, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.252">https://doi.org/10.53254/ESISTUBE.VECF1.252</a>
Mechanical Characterization of Different Epoxy Resins Enhanced With Carbon Nanofibers	P. Santos, S. Valves, P. Reis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.253">https://doi.org/10.53254/ESISTUBE.VECF1.253</a>
Hybridization effect on the impact properties of flax composites	M. Silva, P. Santos, J.M. Parente, P.N.B. Reis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.254">https://doi.org/10.53254/ESISTUBE.VECF1.254</a>
A physically consistent virtual crack closure technique accounting for contact and interpenetration	P.S. Valvo	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.255">https://doi.org/10.53254/ESISTUBE.VECF1.255</a>
Monitoring the mechanical response of early aged cement-mortar specimen using the Pressure ...	D. Triantis, I. Stavrakas, A. Kyriazopoulos, E.D. Pasiou, S.K. Kourkoulis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.256">https://doi.org/10.53254/ESISTUBE.VECF1.256</a>
The effect of crack insertion in FDM printed PLA materials on Mode I and Mode II fracture toughness	C. Valean, L. Marsavina, M. Marghitas, E. Linul, F. Berto, J. Razavi, R. Brighenti	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.257">https://doi.org/10.53254/ESISTUBE.VECF1.257</a>
Direct Integration Methods versus Modal Superposition Method, on predicting Staircase Vibrations	P. Andrade, J. Santos, P. Escorcio	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.258">https://doi.org/10.53254/ESISTUBE.VECF1.258</a>
Improvement of Staircases Vibration Serviceability to Human Ergonomics: A Case Study	P. Andrade, J. Santos, L. Maia	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.259">https://doi.org/10.53254/ESISTUBE.VECF1.259</a>
Contact problems for cracks under impact loading	O. Menshykov, I. Guz, M. Menshykova	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.260">https://doi.org/10.53254/ESISTUBE.VECF1.260</a>
Invited Lecture: Damage-Tolerance in High-Entropy Alloys	R. Ritchie	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.261">https://doi.org/10.53254/ESISTUBE.VECF1.261</a>
Finite Element modeling of the functional spinal unit under compression loads	H.M. Raheem, M. Aljanabi	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.262">https://doi.org/10.53254/ESISTUBE.VECF1.262</a>
Modelling Cracks in SiC-SiC Cladding Using Peridynamics	A.G. Bamgbose, T.A. Haynes, M. R. Wenman	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.263">https://doi.org/10.53254/ESISTUBE.VECF1.263</a>
Evaluation of fatigue crack propagation in steel ESET specimens subjected to variable load spectra	W. De Waele, S. Trogh, S. De Tender, N. Micone, K. Hectors	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.264">https://doi.org/10.53254/ESISTUBE.VECF1.264</a>

Presentation title	Authors	DOI
Mechanical and electrical properties of hydraulic lime pastes reinforced with modified carbon ...	A.E. Dimou, N. D. Alexopoulos, Z.S. Metaxa, S.K. Kourkoulis, I. Karatasios	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.265">https://doi.org/10.53254/ESISTUBE.VECF1.265</a>
Online Acoustic Emission Monitoring of Cyclic Ball Indentation Testing - Correlation with ...	R. V. Prakash, M. Thomas, A. R. Prakash, C. K. Mukhopadhyay	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.266">https://doi.org/10.53254/ESISTUBE.VECF1.266</a>
An alternative analytic approach to the stress field in a flattened Basilian disc	Ch. F. Markides, S.K. Kourkoulis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.267">https://doi.org/10.53254/ESISTUBE.VECF1.267</a>
Lattice topology homogenization and crack propagation through finite element analyses	F. Vladulescu, D. M. Costantinescu	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.268">https://doi.org/10.53254/ESISTUBE.VECF1.268</a>
Failure prediction of composite open hole tensile test specimens using bond based peridynamics ...	B.M. Baykan, U. Yolum, E. Ozaslan, M.A. Guler, B. Yildirim	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.269">https://doi.org/10.53254/ESISTUBE.VECF1.269</a>
Experimental study of dynamic deformation processes in gas pipelines	I. Shardakov, O. Glot, A. Shestakov, R. Tsvetkov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.270">https://doi.org/10.53254/ESISTUBE.VECF1.270</a>
Formulation of Ordinary Concrete using the Dreux-Gorisso Method	H. Chbani, B. Saadouki, M. Boudlal, M. Barakat	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.271">https://doi.org/10.53254/ESISTUBE.VECF1.271</a>
Fatigue strength evaluation of notched ductile steel specimens using critical distances	C. Atzori, M. Ricotta, A. Campagnolo, D. Rigon, G. Meneghetti	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.272">https://doi.org/10.53254/ESISTUBE.VECF1.272</a>
Using Digital Image Correlation to Analyze the Dynamic Mechanical Behavior of Differently ...	A. Singh, S. Pourhassan, M. Gordon, I. Bereterbide, P. Moreira	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.273">https://doi.org/10.53254/ESISTUBE.VECF1.273</a>
Flexural Strengthening of Reinforced Concrete Beams with Externally Bonded Hybrid Systems	J. A. Abdalla, A. Mohamed, R.A. Hawileh	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.274">https://doi.org/10.53254/ESISTUBE.VECF1.274</a>
New Technological Solution for Friction Stir Welding of Composites	S. Eslami, F.A.T. Vilhena A.T. Marques, P. Moreira	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.275">https://doi.org/10.53254/ESISTUBE.VECF1.275</a>
Welded joints integrity of the thick plates steel bridges beams	E. Petzek, D. Radu, S. Sedmak, D. Taus, A. Firus	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.276">https://doi.org/10.53254/ESISTUBE.VECF1.276</a>
On Buckling and Fracture of Thin Elastic Plastic Foils	P. Stale, M. Shahmardani, S. Kao-Walter	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.277">https://doi.org/10.53254/ESISTUBE.VECF1.277</a>
The Effect of Fibre Hybridisation on the Viscoelastic Properties of Polymeric Composites	P. Santos, S. Vevez, A. Monjon, P. Reis	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.278">https://doi.org/10.53254/ESISTUBE.VECF1.278</a>

Presentation title	Authors	DOI
Peridynamic modeling of dynamic crack initiation	M. Ignatev	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.279">https://doi.org/10.53254/ESISTUBE.VECF1.279</a>
Effect of Mg on dynamic properties of Al-Mg alloys	A.D. Evstifeev, G.A. Volkov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.280">https://doi.org/10.53254/ESISTUBE.VECF1.280</a>
Aircraft fuselage cracking and simulation	A. Al-Mukhtar	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.281">https://doi.org/10.53254/ESISTUBE.VECF1.281</a>
Investigation of the influence of low amplitude loads on the fatigue life of CFRP specimens with ...	A.A. Lukyanchuk, A.V. Pankov, A.G. Kalinin, V.V. Konovalov, V.G. Lukyanchuk	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.282">https://doi.org/10.53254/ESISTUBE.VECF1.282</a>
Effects of dynamic deformation and fracture in the Klein – Gordon stress field	L. Igusheva, Y. V. Petrov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.283">https://doi.org/10.53254/ESISTUBE.VECF1.283</a>
Study of internal fatigue crack propagation with in-situ synchrotron ultrasonic testing device	A. Messager, A. Junet, T. Palin-Luc, J.Y. Buffiere, N. Saintier, N. Ranc, M. El May, Y. Gallard, Y. Nadot	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.284">https://doi.org/10.53254/ESISTUBE.VECF1.284</a>
A multimodal approach to modeling the progressive fatigue damage accumulation	I.S. Nikitin, N.G. Burago, A.D. Nikitin, B.A. Stratula	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.285">https://doi.org/10.53254/ESISTUBE.VECF1.285</a>
Total life approach analysis of ductile cast iron smooth specimens	S. Vantadori, A. Carpinteri, C. Ronchei, D. Scorza, A. Zanichelli	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.286">https://doi.org/10.53254/ESISTUBE.VECF1.286</a>
On the fatigue improvement of railways superstructure components due to cold expansion – Part 2: ...	G.P. Pucillo, A. Carrabs, S. Cuomo, A. Elliot, M. Meo	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.287">https://doi.org/10.53254/ESISTUBE.VECF1.287</a>
Theory of critical distance combined with generalized strain energy density criterion for mixed...	B. Bahrami, M.R. Ayatollahi, S. Ghouli	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.288">https://doi.org/10.53254/ESISTUBE.VECF1.288</a>
Structural integrity study of steel railway gearbox housing	J. Serra, T. Morgado	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.289">https://doi.org/10.53254/ESISTUBE.VECF1.289</a>
On the fatigue improvement of railways superstructure components due to cold expansion – Part 1: ...	G.P. Pucillo, A. Carrabs, S. Cuomo, A. Elliot, M. Meo	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.290">https://doi.org/10.53254/ESISTUBE.VECF1.290</a>
Effect of build thickness on fatigue behaviour of Ti6Al4V produced by electron beam melting	J. Razavi, F. Berto, C. Gao	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.291">https://doi.org/10.53254/ESISTUBE.VECF1.291</a>
Effect of accumulated damages in supporting porous components on loosening behaviour using ...	Y. Otsuka, H. Sugawara, Y. Miyashita	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.292">https://doi.org/10.53254/ESISTUBE.VECF1.292</a>

Presentation title	Authors	DOI
Invited Lecture: Nanomechanics of metal coated polymer particles	J.He	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.293">https://doi.org/10.53254/ESISTUBE.VECF1.293</a>
Partial replacement of cement by waste marble slurry	E. Christodoulou, Z.S. Metaxa, O. Theochardidis, A. Ekmekti, A.C: Mitropoulos	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.294">https://doi.org/10.53254/ESISTUBE.VECF1.294</a>
Fatigue analysis of quarter-elliptical corner crack	S. Boljjanovic, A. Carpinteri	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.295">https://doi.org/10.53254/ESISTUBE.VECF1.295</a>
Dispersing carbon nanomaterials facilitating aqueous air nanobubble solutions for ...	Z.S. Metaxa, E.P. Favvas, A.C. Mitropoulos	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.296">https://doi.org/10.53254/ESISTUBE.VECF1.296</a>
Static Assessment of Notched Additively Manufactured ABS	C.Tze Ng, L. Susmel	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.297">https://doi.org/10.53254/ESISTUBE.VECF1.297</a>
Risk Based Approach to structural LIFE Assessment of oil drilling rig welded pipe	A. Sedmak, R. Zaidi, S. Kirin, A. Grbovic, W. Li	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.298">https://doi.org/10.53254/ESISTUBE.VECF1.298</a>
Combined influence of pin-hole interference and additional hole on the stress intensity ...	R. V Prakash, K Hithendra	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.299">https://doi.org/10.53254/ESISTUBE.VECF1.299</a>
Modeling deformation and failure behaviour of Lithium-ion batteries	J. Lian, J. Zhu, T. Wierzbicki	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.300">https://doi.org/10.53254/ESISTUBE.VECF1.300</a>
Electromechanical contact element for modelling failure due to long range interactions in ...	C. Maruccio, A. Kefal	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.301">https://doi.org/10.53254/ESISTUBE.VECF1.301</a>
Parameter identification strategy for online detection of faults in smart structures	C. Mariuccio, P. Montegiglio, A. Kefal	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.302">https://doi.org/10.53254/ESISTUBE.VECF1.302</a>
Numerical simulation of fatigue crack growth in titanium alloy orthopaedic plates	F. Vučetić, K. Čolić, A. Grbović, A. Petrović, A. Sedmak, D. Kozak, S. Sedmak	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.303">https://doi.org/10.53254/ESISTUBE.VECF1.303</a>
Numerical analysis of stress singularity near singular points based on FEM	A. Yu. Federov, V. P. Matveenko	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.304">https://doi.org/10.53254/ESISTUBE.VECF1.304</a>
Brief review of fatigue design criteria on offshore wind turbine structures	B. Ávila, P. Mendes, J.A.F.O. Correia, H. Carvalho, A.M.P. De Jesus, F. Berto	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.305">https://doi.org/10.53254/ESISTUBE.VECF1.305</a>
Rules and procedures of risk management – case study in open pit mine	S. Kirin, W. Li, M. Brzakovic, I. Miljanovic, A. Sedmak	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.306">https://doi.org/10.53254/ESISTUBE.VECF1.306</a>
Finite Element analysis of Stress Corrosion Crack Growth Rate	M. Alkateb, S. Tadic, A. Sedmak	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.307">https://doi.org/10.53254/ESISTUBE.VECF1.307</a>

Presentation title	Authors	DOI
The largest pre-stressed concrete dome in the world – the case study of „Hall 1 of Belgrade Fair“	M. Jelic, A. Sedmak	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.308">https://doi.org/10.53254/ESISTUBE.VECF1.308</a>
Invited Lecture: Physical fatigue modelling and its practical applications	S. Schmauder, M. Mlikota	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.309">https://doi.org/10.53254/ESISTUBE.VECF1.309</a>
Experiment and modelling of the fatigue fracture of high-strength FeMnSi-based Shape Memory ...	M. Evard, F. Belyaev, A. Volkov	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.310">https://doi.org/10.53254/ESISTUBE.VECF1.310</a>
Fatigue crack propagation simulation in total hip prosthesis shaft	Z. Bozic, M. Babic, O. Veric	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.311">https://doi.org/10.53254/ESISTUBE.VECF1.311</a>
A fatigue crack growth model incorporating surface roughness for wire + arc additively ...	K. Samadian, W. De Waele	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.312">https://doi.org/10.53254/ESISTUBE.VECF1.312</a>
Effect of thermomechanical processing defects on fatigue and fracture behaviour of forged magnesium	A. Gryguc, S.B. Behravesh, H. Jahed, M. Wells, B. Williams, X. Su	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.313">https://doi.org/10.53254/ESISTUBE.VECF1.313</a>
A method for comparing the fatigue performance of forged AZ80 Magnesium components	A. Gryguc, S.B. Behravesh, H. Jahed, M. Wells, B. Williams, X. Su	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.314">https://doi.org/10.53254/ESISTUBE.VECF1.314</a>
Structural durability of 3D printed virgin and recycled ABS and PP compounds: a review	D. Rigon, M. Ricotta, G. Meneghetti	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.315">https://doi.org/10.53254/ESISTUBE.VECF1.315</a>
A proposition of the model of temperature change description during fatigue loading	A. Lipski	<a href="https://doi.org/10.53254/ESISTUBE.VECF1.316">https://doi.org/10.53254/ESISTUBE.VECF1.316</a>

